







JAXA TRMM/GPM Program Status

Riko OKI (JAXA/EORC)



Tropical Rainfall Measuring Mission (TRMM)

- Precipitation Radar (PR) onboard the TRMM satellite completed on 1st April 2015.
- TRMM re-entered the atmosphere at 12:55 p.m. on June 16, 2015 (Japan Standard Time) over the South Indian Ocean.
- Major characteristics
 - ✓ Focused on rainfall observation. First instantaneous rainfall observation by three different sensors (PR, TMI, VIRS). PR, active sensor, can observe 3D structure of rainfall.
 - ✓ Targeting tropical and subtropical region, and chose non-sun-synchronous orbit (inc. angle 35 degree) to observe diurnal variation.
- Major achievement in Japan
 - ✓ Demonstration of high quality and high reliability of a satellite onboard precipitation radar
 - ✓ Improvement of precipitation retrieval from passive microwave radiometer by PR 3D observation
 - ✓ Pioneering precipitation system climatology by PR observation



US-Japan joint mission

Japan: PR, launch


US: satellite, TMI, VIRS, CERES, LIS, operation

Launch	28 Nov. 1997 (JST)		
Altitude	About 350km (since 2001, boosted to 402km to extend mission operation)		
Inc. angle	About 35 degree, non-sun- synchronous orbit		
Design life	3-year and 2month (still operating)		
Instruments	Precipitation Radar (PR) TRMM Microwave Imager (TMI) Visible Infrared Scanner (VIRS) Lightning Imaging Sensor (LIS) CERES (not in operation)		

A development of the TRMM PR Climate Records




- The sensitivity of PR has been changed over ~17 years operation period.
 - Methods mitigating discontinuities are underdevelopment.




Long-term continuous PR precipitation record (interim)

TRMMM PR nearSurfRain (35S-35N Globe)



17+ years PR surface precipitation climatology (Dec. 1997 – Mar. 2015)



P4


TRMM/PR EOM (End of Mission) Status



- Wide Swath Experiment (WS)
- 2 90deg. Yaw Experiment (90Y)
- 3 Dense Sampling Experiment (DS)


EOM Schedule

Normal	D ate	up bad command	A Ititude	
(402.5m)				
WS1	27-0 ct-2014	Wide Swath #1	387.29 km	
	19 days			
	15-Nov-2014	90deg-Yaw	382.47 km	
90Y	9 days			
	24-Nov-2014	Wide Swath #2	379.67 km	
WS2	23 days			
	17-Dec-2014	Wide Swath #3	373.40 km	
WS3	19 days			
DS1	5-Jan-2015	Dense Sampling #1	366.81 km	
	19 days			
DS2	24-Jan-2015	Dense Sampling #2	360.68 km	
	13 days			
	6-Feb-2015	NormalObs. (350 km)	355.85 km	
Normal	41 days		1	
(350 km)	19-M ar-2015	NormalObs.Ends	339.63 km	
	9 days			
	28-M ar-2015	P ass ivation	334.74 km	
		/	/	



Global Precipitation Measurement (GPM)





- Knowledge regarding climate variations
 - Continuous precipitation observation data from TRMM to GPM
- Highly reliable knowledge regarding precipitation science
 - Observation of cumulonimbus, tropical cyclones, diurnal variations of precipitation in the tropics
 - →Observation of precipitation over the mid-to-high latitude frontal zones
- Near-real-time precipitation information
 - For numerical weather prediction For flood alert/warning system, etc.

Core
Observatory
by NASA-JAXA

Production of hourly global rainfall map

Japanese PMM Science Team




- The Japanese PMM Science Team started in Apr. 2013 for three-year period.
 - ▶ 30 proposals for the 7th RA (JFY2013-2015)
 - It is the 7th RA since the first TRMM RA, and the 3rd as PMM
 - 23 + 2 with research cost proposals
 - 5 no cost transfer proposals including 3 from abroad
- The science team includes both TRMM and GPM activities.
 - Continue to focus on GPM algorithm development and related GV activities. Also includes more Application studies related to new research products, data assimilations, and model utilizations.
 - New call for next 8th RA will be annouced this year.
 - A new science team will start in Apr. 2016.

Japan and U.S. PMM Science Framework




-- two joint algorithm development teams --



DPR observation examples



Surface precipitation rate of GPM/KuPR averaged during March 2014 – June 2015 (V03B)




Evaluation of DPR product using JMA rain gauge network (1/2)



Biases of GPM/KuPR, GPM/DPR products with reference to **rain gauge network** by Japan Meteorological Agency (JMA)

Data period: Apr. 2014 to Mar. 2015, Satellite overpass cases only, 0.5x0.5 lat/lon grid




Underestimation area is found, in particular, in the northern part of Japan.

Evaluation of DPR product using JMA rain gauge network (2/2)



P11

Biases of GPM/KuPR, GPM/DPR products with reference to JMA rain gauge network Data period: Apr. 2014 to Mar. 2015, Satellite overpass cases only, 0.5x0.5 lat/lon grid




In rain cases only (surf Temp. >6 C), the underestimation area is reduced in Japan.

Global Satellite Mapping of Precipitation (GSMaP)



http://sharaku.eorc.jaxa.jp/GSMaP/

3-hourly movie from 3 to 9 November, 2013 (Typhoon Haiyan case)



GSMaP is a blended Microwave-IR product and has been developed in Japan toward the GPM mission.
U.S. counterpart is "IMERG"

Proto-type version has been in operation in JAXA since 2007 "GPM-GSMaP" data were released on Sep. 2014.


GPM-GSMaP data for TRMM period is currently processing as reanalysis version (GSMaP_RNL), and will be distributed soon.

Evaluation of GPM-GSMaP (1/2)



Daily averaged rainfall around Japan in 0.25 degree grid was compared with JMA's Radar AMeDAS (gaugecalibrated radar analysis rainfall).

An example on Apr. 12, 2014




→ **GSMaP_Gauge** shows better correlation with less Root Mean Square Error (RMSE) on Apr. 12, 2014.

Evaluation of GPM-GSMaP (2/2)



Daily series (15-day running mean) of Root Mean Square Error (RMSE) for GSMaP product with reference to JMA radar-AMeDAS data during Mar. 1 to Nov. 30, 2014



- GSMaP_Gauge shows the least RMSE.
- Mean RMSE values of GPM-GSMaP products are smaller than those of the TRMM-GSMaP_NRT (v5).

Development of GSMaP nowcast version (GSMaP_NOW)

- To reduce latency from 4-hr to nowcast
 - Using data that is available within 1-hour (GMI, AMSR2 direct receiving data, AMSU direct receiving data and MTSAT) to produce GSMaP at 1-hr before (observation).
 - Applying 1-hour forward extrapolation (future direction) by cloud moving vector to produce GSMaP at current hour (nowcast).




 Web site and image is now open to limited users, and will be released to the public in this summer.

Japanese GPM GV field campaigns



- Algorithm validation
 - Dual Ka-band radar observation campaigns had finished.
 - k-Ze relationships about rain, snow, snow aggregate, and melting layer are measured.
 - The assessment of the model and parameter in DPR algorithm is the next topic.
- Product validation
 - By calculated Z from the DSD data with ground instruments(Parsivel, Disdrometer, 2DVD), Z of DPR will be evaluated.



Ship-based GV field campaign for tropical oceanic precipitations in 2015 with JAMSTEC





Ka-band VP radar

Radiosonde (3-hourly)




Disdrometers



C-band dual-pol. radar




Stationary Observation off Sumatra, Indonesia Nov. - Dec. 2015



GMI data assimilation experiment in JMA

Three hour accumulated rainfall <u>forecast for 00UTC July 3, 2014</u>
Three hour forecast from <u>initial time</u> (21UTC July 2, 2014)



Locally, there is better agreement in heavy precipitation area (Red area: 50 - 100 mm/3hr)

What is the reason of the improvement?

Deeper low pressure system in **Test**

Surface pressure gradient is steep than Control over the northern Kyusyu Island.

(Kazumori, 7th IPWG, 2014)

Summary



- The Japanese PMM Science Team started in Apr. 2013 for three-year period.
 - 30 proposals for the 7th RA (JFY2013-2015).
- The next annucement will be in this Summer, 2015.
- TRMM
 - Completion of PR on 1st April 2015
 - TRMM/PR EOM (End of Mission) Status
- * GPM
 - GPM Core Observatory and instruments are working well.
 - GPM products V03 are released to public in Sep. 2014.
 - Evaluation of DPR L1, L2, and GPM-GSMaP for data release.
 - Ship-based GV field campaign for tropical oceanic precipitations in 2015 with JAMSTEC
- GSMaP earlier latency product (GSMaP_NOW) is now open to limited users, and will be released to the public in this summer.